



LANDWARD

LEADING LIFE FORWARD

XT20

RELIABLE QUALITY
POWERFUL DYNAMICS



Securely Housed
Track Motors




Independent Boom
Swing As Standard




Easy Hydraulic
Line Connections



Hydraulic Side
Piloting Controls



Easy Rear Engine
Access & Maintenance




Closed Cab Option
With A/C

Specifications

		XT-20	XT-20	XT-20 PRO
Engine		Laidong KM385	Kubota D902	Kubota D902
Rated Power		25HP	20HP	20HP
Engine Cylinders		3	3	3
Cooling		Water-Cooled	Water-Cooled	Water-Cooled
Fuel Type		Diesel	Diesel	Diesel
Fuel Tank Capacity		9.5L	9.5L	9.5L
Hydraulic Pump		XZZ Hydraulics	XZZ Hydraulics	XZZ Hydraulics
Hydraulic Pump Type		Gear Pump	Gear Pump	Piston Pump
Hydraulic Flow Rate		28 L/min	28 L/min	41.4 L/min
Working Pressure		20Mpa	20Mpa	20Mpa
Brand Of Travel Motor		REEWO	REEWO	REEWO
Travel Speed		2.2 kph	2.2 kph	2.2 - 4.3 kph
Operating Weight		1950kg	1950kg	1950kg
A	Total Length	3450mm	3450mm	3450mm
B	Track Length	1240mm	1240mm	1240mm
D	Machine Width	1150mm	1150mm	1150mm
E	Machine Height	2230mm	2230mm	2230mm
Undercarriage Width				
- With Adjustable Tracks		940mm – 1190mm	940mm – 1190mm	940mm – 1190mm
- With Fixed Tracks		1150mm	1150mm	-
G	Counterweight Ground Clearance	450mm	450mm	450mm
H	Tail Swing Radius	850mm	850mm	850mm
J	Track Shoe Width	230mm	230mm	230mm
K	Standard Bucket Width	400mm	400mm	400mm
Bucket Capacity		0.045m³	0.045m³	0.045m³
RS	Right Side Boom Swing	50°	50°	50°
LS	Left Side Boom Swing	63°	63°	63°
Bucket Digging Force		16KN	16KN	16KN
Multi-Way Valve		Beifang	Beifang	Beifang
Rotary Motor Brand		REEWO	REEWO	REEWO
Rotation Speed		9 r/min	9 r/min	9 r/min
Climbing Angle		30°	30°	30°
Ground Pressure		30Kpa	30Kpa	30Kpa
1	Maximum Digging Height	2550mm	2550mm	2550mm
2	Maximum Dumping Height	1800mm	1800mm	1800mm
3	Maximum Digging Depth	2100mm	2100mm	2100mm
4	Maximum Digging Reach	3530mm	3530mm	3530mm
5	Minimum Swing Radius	1750mm	1750mm	1750mm
6	Max Dozer Blade Lifting	170mm	170mm	170mm
7	Max Dozer Blade Lowering	220mm	220mm	220mm

Diagram



Colours



Features

